

ARTICOLO LIGHTING
PENDANT ROD GUIDE

AUSTRALIA / INTERNATIONAL 2022



ARTICOLO

13MM ROD DROP LENGTHS

MODULES AND CONFIGURATIONS



BANDED

STANDARD ROD LENGTH
900mm

**TOTAL HEIGHT
INCLUDING SHADE
AND FITTINGS**
1095mm

VARIABLE ROD LENGTHS AND CONFIGURATIONS

ROD LENGTH	TOTAL DROP
400mm	595mm
500mm	695mm
600mm	795mm
700mm	895mm
800mm (400mm + 400mm joined)	995mm
900mm	1095mm
1000mm (600mm + 400mm joined)	1195mm
1100mm (600mm + 500mm joined)	1295mm
1200mm (600mm + 600mm joined)	1395mm
1300mm (900mm + 400mm joined)	1495mm
1400mm (900mm + 500mm joined)	1595mm
1500mm (900mm + 600mm joined)	1695mm
1600mm (900mm + 700mm joined)	1795mm

Custom lengths available by request.



LUMI

STANDARD ROD LENGTH
900mm

**TOTAL HEIGHT
INCLUDING SHADE
AND FITTINGS**
1176mm

Standard rod length and
total height apply to the single,
double and triple pendants.

VARIABLE ROD LENGTHS AND CONFIGURATIONS

ROD LENGTH	TOTAL DROP
400mm	676mm
500mm	776mm
600mm	876mm
700mm	976mm
800mm (400mm + 400mm joined)	1076mm
900mm	1176mm
1000mm (600mm + 400mm joined)	1276mm
1100mm (600mm + 500mm joined)	1376mm
1200mm (600mm + 600mm joined)	1476mm
1300mm (900mm + 400mm joined)	1576mm
1400mm (900mm + 500mm joined)	1676mm
1500mm (900mm + 600mm joined)	1776mm
1600mm (900mm + 700mm joined)	1876mm

Custom lengths available by request.

13MM ROD DROP LENGTHS

MODULES AND CONFIGURATIONS



INDÍ

STANDARD ROD LENGTH
900mm

**TOTAL HEIGHT
INCLUDING SHADE
AND FITTINGS**
1176mm

Standard rod length and
total height apply to the single,
double and triple pendants.

VARIABLE ROD LENGTHS AND CONFIGURATIONS

ROD LENGTH	TOTAL DROP
400mm	676mm
500mm	776mm
600mm	876mm
700mm	976mm
800mm (400mm + 400mm joined)	1076mm
900mm	1176mm
1000mm (600mm + 400mm joined)	1276mm
1100mm (600mm + 500mm joined)	1376mm
1200mm (600mm + 600mm joined)	1476mm
1300mm (900mm + 400mm joined)	1576mm
1400mm (900mm + 500mm joined)	1676mm
1500mm (900mm + 600mm joined)	1776mm
1600mm (900mm + 700mm joined)	1876mm

Custom lengths available by request.



INDÍ XL

STANDARD ROD LENGTH
900mm

**TOTAL HEIGHT
INCLUDING SHADE
AND FITTINGS**
1424mm

Standard rod length and
total height apply to the single,
double and triple pendants.

VARIABLE ROD LENGTHS AND CONFIGURATIONS

ROD LENGTH	TOTAL DROP
400mm	924mm
500mm	1024mm
600mm	1124mm
700mm	1224mm
800mm (400mm + 400mm joined)	1324mm
900mm	1424mm
1000mm (600mm + 400mm joined)	1524mm
1100mm (600mm + 500mm joined)	1624mm
1200mm (600mm + 600mm joined)	1724mm
1300mm (900mm + 400mm joined)	1824mm
1400mm (900mm + 500mm joined)	1924mm
1500mm (900mm + 600mm joined)	2024mm
1600mm (900mm + 700mm joined)	2124mm

Custom lengths available by request.

13MM ROD DROP LENGTHS
MODULES AND CONFIGURATIONS



MONI

STANDARD ROD LENGTH
900mm

TOTAL HEIGHT
INCLUDING SHADE
AND FITTINGS
1176,mmmmm

Standard rod length and
total height apply to the single,
double and triple pendants.

VARIABLE ROD LENGTHS AND CONFIGURATIONS

ROD LENGTH	TOTAL DROP
400mm	676mm
500mm	776mm
600mm	876mm
700mm	976mm
800mm (400mm + 400mm joined)	1076mm
900mm	1176mm
1000mm (600mm + 400mm joined)	1276mm
1100mm (600mm + 500mm joined)	1376mm
1200mm (600mm + 600mm joined)	1476mm
1300mm (900mm + 400mm joined)	1576mm
1400mm (900mm + 500mm joined)	1676mm
1500mm (900mm + 600mm joined)	1776mm
1600mm (900mm + 700mm joined)	1876mm

Custom lengths available by request.



MONI XL

STANDARD ROD LENGTH
900mm

TOTAL HEIGHT
INCLUDING SHADE
AND FITTINGS
1424mm

Standard rod length and
total height apply to the single,
double and triple pendants.

VARIABLE ROD LENGTHS AND CONFIGURATIONS

ROD LENGTH	TOTAL DROP
400mm	924mm
500mm	1024mm
600mm	1124mm
700mm	1224mm
800mm (400mm + 400mm joined)	1324mm
900mm	1424mm
1000mm (600mm + 400mm joined)	1524mm
1100mm (600mm + 500mm joined)	1624mm
1200mm (600mm + 600mm joined)	1724mm
1300mm (900mm + 400mm joined)	1824mm
1400mm (900mm + 500mm joined)	1924mm
1500mm (900mm + 600mm joined)	2024mm
1600mm (900mm + 700mm joined)	2124mm

Custom lengths available by request.

13MM ROD DROP LENGTHS

MODULES AND CONFIGURATIONS



SCANDAL

STANDARD ROD LENGTH

1100mm

(600mm + 500mm joined)

**TOTAL HEIGHT
INCLUDING SHADE
AND FITTINGS**

1195.5mm

Standard rod length and
total height apply to the
short and long pendants.

VARIABLE ROD LENGTHS AND CONFIGURATIONS

ROD LENGTH	TOTAL DROP
400mm	495.5mm
500mm	595.5mm
600mm	695.5mm
700mm	795.5mm
800mm (400mm + 400mm joined)	895.5mm
900mm	995.5mm
1000mm (600mm + 400mm joined)	1095.5mm
1100mm (600mm + 500mm joined)	1195.5mm
1200mm (600mm + 600mm joined)	1295.5mm
1300mm (900mm + 400mm joined)	1395.5mm
1400mm (900mm + 500mm joined)	1495.5mm
1500mm (900mm + 600mm joined)	1595.5mm
1600mm (900mm + 700mm joined)	1695.5mm

Custom lengths available by request.

TRILOGY

HORIZONTAL

STANDARD ROD LENGTH

1100mm

(600mm + 500mm joined)

**TOTAL HEIGHT
INCLUDING SHADE
AND FITTINGS**

1236mm

VARIABLE ROD LENGTHS AND CONFIGURATIONS

ROD LENGTH	TOTAL DROP
400mm	536mm
500mm	636mm
600mm	736mm
700mm	836mm
800mm (400mm + 400mm joined)	936mm
900mm	1036mm
1000mm (600mm + 400mm joined)	1136mm
1100mm (600mm + 500mm joined)	1236mm
1200mm (600mm + 600mm joined)	1336mm
1300mm (900mm + 400mm joined)	1436mm
1400mm (900mm + 500mm joined)	1536mm
1500mm (900mm + 600mm joined)	1636mm
1600mm (900mm + 700mm joined)	1736mm

Custom lengths available by request.

3/8" ROD DROP LENGTHS

MODULES AND CONFIGURATIONS



FIZI SINGLE BALL

STANDARD ROD LENGTH

1200mm

(300mm + 900mm joined)

**TOTAL HEIGHT
INCLUDING SHADE
AND FITTINGS**

1366mm

VARIABLE ROD LENGTHS AND CONFIGURATIONS

ROD LENGTH		TOTAL DROP
400mm	(300mm + 100mm joined)	566mm
500mm	(300mm + 200mm joined)	666mm
600mm	(300mm + 300mm joined)	766mm
700mm		866mm
800mm	(300mm + 500mm joined)	966mm
900mm		1066mm
1000mm	(300mm + 700mm joined)	1166mm
1100mm	(300mm + 800mm joined)	1266mm
1200mm	(300mm + 900mm joined)	1366mm
1300mm	(300mm + 1000mm joined)	1466mm

Custom lengths available by request.



FIZI TRIPLE BALL

STANDARD ROD LENGTH

1200mm

(300mm + 900mm joined)

**TOTAL HEIGHT
INCLUDING SHADE
AND FITTINGS**

1366mm

VARIABLE ROD LENGTHS AND CONFIGURATIONS

ROD LENGTH		TOTAL DROP
400mm	(300mm + 100mm joined)	566mm
500mm	(300mm + 200mm joined)	666mm
600mm	(300mm + 300mm joined)	766mm
700mm		866mm
800mm	(300mm + 500mm joined)	966mm
900mm		1066mm
1000mm	(300mm + 700mm joined)	1166mm
1100mm	(300mm + 800mm joined)	1266mm
1200mm	(300mm + 900mm joined)	1366mm
1300mm	(300mm + 1000mm joined)	1466mm

Custom lengths available by request.

3/8" ROD DROP LENGTHS

MODULES AND CONFIGURATIONS



FLOAT

STANDARD ROD LENGTH
700mm

TOTAL HEIGHT
INCLUDING SHADE
AND FITTINGS
1282mm

VARIABLE ROD LENGTHS AND CONFIGURATIONS

ROD LENGTH		TOTAL DROP
400mm	(300mm + 100mm joined)	982mm
500mm	(300mm + 200mm joined)	1082mm
600mm	(300mm + 300mm joined)	1182mm
700mm		1282mm
800mm	(300mm + 500mm joined)	1382mm
900mm		1482mm
1000mm	(300mm + 700mm joined)	1582mm
1100mm	(300mm + 800mm joined)	1682mm
1200mm	(300mm + 900mm joined)	1782mm
1300mm	(300mm + 1000mm joined)	1882mm

Custom lengths available by request.



OVOLO

STANDARD ROD LENGTH
800mm
(300mm + 500mm joined)

TOTAL HEIGHT
INCLUDING SHADE
AND FITTINGS
1374mm

Shade dimensions inclusive of
overall height may vary marginally
due to the nature of mouth blown
glass.

VARIABLE ROD LENGTHS AND CONFIGURATIONS

ROD LENGTH		TOTAL DROP
400mm	(300mm + 100mm joined)	974mm
500mm	(300mm + 200mm joined)	1074mm
600mm	(300mm + 300mm joined)	1174mm
700mm		1274mm
800mm	(300mm + 500mm joined)	1374mm
900mm		1474mm
1000mm	(300mm + 700mm joined)	1574mm
1100mm	(300mm + 800mm joined)	1674mm
1200mm	(300mm + 900mm joined)	1774mm
1300mm	(300mm + 1000mm joined)	1874mm

Custom lengths available by request.

3/8" ROD DROP LENGTHS

MODULES AND CONFIGURATIONS



SLAB

STANDARD ROD LENGTH
900mm
TOTAL HEIGHT INCLUDING SHADE AND FITTINGS
1342mm
Shade dimensions inclusive of overall height may vary marginally due to the nature of mouth blown glass.

VARIABLE ROD LENGTHS AND CONFIGURATIONS		
ROD LENGTH		TOTAL DROP
400mm	(300mm + 100mm joined)	842mm
500mm	(300mm + 200mm joined)	942mm
600mm	(300mm + 300mm joined)	1042mm
700mm		1142mm
800mm	(300mm + 500mm joined)	1242mm
900mm		1342mm
1000mm	(300mm + 700mm joined)	1442mm
1100mm	(300mm + 800mm joined)	1542mm
1200mm	(300mm + 900mm joined)	1642mm
1300mm	(300mm + 1000mm joined)	1742mm
Custom lengths available by request.		



SLIM

STANDARD ROD LENGTH
900mm
TOTAL HEIGHT INCLUDING SHADE AND CEILING PLATE
1220mm

VARIABLE ROD LENGTHS AND CONFIGURATIONS		
ROD LENGTH		TOTAL DROP
400mm	(300mm + 100mm joined)	720mm
500mm	(300mm + 200mm joined)	820mm
600mm	(300mm + 300mm joined)	920mm
700mm		1020mm
800mm	(300mm + 500mm joined)	1120mm
900mm		1220mm
1000mm	(300mm + 700mm joined)	1320mm
1100mm	(300mm + 800mm joined)	1420mm
1200mm	(300mm + 900mm joined)	1520mm
1300mm	(300mm + 1000mm joined)	1620mm
Custom lengths available by request.		

3/8" ROD DROP LENGTHS

MODULES AND CONFIGURATIONS



TRILOGY

STANDARD ROD LENGTH
ABOVE BALL
CONFIGURATION
616mm

TOTAL HEIGHT
INCLUDING SHADES
AND FITTINGS
1200mm

Rods below the ball
configuration are fixed
and not variable.
Customisation available
by request.

VARIABLE ROD LENGTHS AND CONFIGURATIONS

ROD LENGTH	TOTAL DROP
300mm + 116mm + 584mm joined	1000mm
300mm + 216mm + 584mm joined	1100mm
616mm + 584mm joined	1200mm
300mm + 416mm + 584mm	1300mm
300mm + 516mm + 584mm joined	1400mm
300mm + 516mm + 584mm joined	1500mm
300mm + 516mm + 584mm joined	1600mm

Custom lengths available by request.