# ARTICOLO LIGHTING PENDANT ROD GUIDE

NORTH AMERICA 2022



# MODULES AND CONFIGURATIONS



# BANDED

STANDARD ROD LENGTH 35.43"

TOTAL HEIGHT INCLUDING SHADE AND FITTINGS 43.11"

## VARIABLE ROD LENGTHS AND CONFIGURATIONS

ROD LENGTH		TOTAL DROP
15.75"		23.43"
19.69"		27.36"
23.62"		31.30"
27.56"		35.24"
31.5"	(15.75" + 15.75" joined)	39.17"
35.43"		43.11"
39.37"	(23.62" + 15.75" joined)	47.05"
43.31"	(23.62" + 19.69" joined)	50.98"
47.24"	(23.62" + 23.62" joined)	54.92"
51.18"	(35.43" + 15.75" joined)	58.86"
55.12"	(35.43" + 19.69" joined)	62.80"
59.06"	(35.43" + 23.62" joined)	66.73"
62.99"	(35.43" + 27.56" joined)	70.67"

Custom lengths available by request.



# LUMI

STANDARD ROD LENGTH 35.43"

TOTAL HEIGHT INCLUDING SHADE AND FITTINGS 46.30"

Standard rod length and total height apply to the single, double and triple pendants.

### VARIABLE ROD LENGTHS AND CONFIGURATIONS

ROD LENGTH		TOTAL DROP
15.75"		26.61"
19.69"		30.55"
23.62"		34.49"
27.56"		38.43"
31.5"	(15.75" + 15.75" joined)	42.36"
35.43"		46.30"
39.37"	(23.62" + 15.75" joined)	50.24"
43.31"	(23.62" + 19.69" joined)	54.17"
47.24"	(23.62" + 23.62" joined)	58.11"
51.18"	(35.43" + 15.75" joined)	62.05"
55.12"	(35.43" + 19.69" joined)	65.98"
59.06"	(35.43" + 23.62" joined)	69.57"
62.99"	(35.43" + 27.56" joined)	73.86"

 ${\tt Custom\ lengths\ available\ by\ request.}$ 

# MODULES AND CONFIGURATIONS



### INDI

# STANDARD ROD LENGTH 35.43"

TOTAL HEIGHT INCLUDING SHADE AND FITTINGS 46.30"

Standard rod length and total height apply to the single, double and triple pendants.

## VARIABLE ROD LENGTHS AND CONFIGURATIONS

ROD LENGTH		TOTAL DROP
15.75"		26.61"
19.69"		30.55"
23.62"		34.49"
27.56"		38.43"
31.5"	(15.75" + 15.75" joined)	42.36"
35.43"		46.30"
39.37"	(23.62" + 15.75" joined)	50.24"
43.31"	(23.62" + 19.69" joined)	54.17"
47.24"	(23.62" + 23.62" joined)	58.11"
51.18"	(35.43" + 15.75" joined)	62.05"
55.12"	(35.43" + 19.69" joined)	65.98"
59.06"	(35.43" + 23.62" joined)	69.57"
62.99"	(35.43" + 27.56" joined)	73.86"

Custom lengths available by request.



# INDI XL

# STANDARD ROD LENGTH 35.43"

TOTAL HEIGHT INCLUDING SHADE AND FITTINGS

56.06"

Standard rod length and total height apply to the single, double and triple pendants.

### VARIABLE ROD LENGTHS AND CONFIGURATIONS

тн	TOTAL DROP
	36.38"
	40.31"
	44.25"
	48.19"
(15.75" + 15.75" joined)	52.13"
	56.06"
(23.62" + 15.75" joined)	60.00"
(23.62" + 19.69" joined)	63.94"
(23.62" + 23.62" joined)	67.87"
(35.43" + 15.75" joined)	71.81"
(35.43" + 19.69" joined)	75.74"
(35.43" + 23.62" joined)	79.69"
(35.43" + 27.56" joined)	83.62"
	(15.75" + 15.75" joined) (23.62" + 15.75" joined) (23.62" + 19.69" joined) (23.62" + 23.62" joined) (35.43" + 15.75" joined) (35.43" + 19.69" joined) (35.43" + 23.62" joined)

 ${\tt Custom\ lengths\ available\ by\ request.}$ 

# MODULES AND CONFIGURATIONS



### MONI

# STANDARD ROD LENGTH 35.43"

TOTAL HEIGHT INCLUDING SHADE AND FITTINGS 46.30"

Standard rod length and total height apply to the single, double and triple pendants.

## VARIABLE ROD LENGTHS AND CONFIGURATIONS

ROD LENGTH		TOTAL DROP
15.75"		26.61"
19.69"		30.55"
23.62"		34.49"
27.56"		38.43"
31.5"	(15.75" + 15.75" joined)	42.36"
35.43"		46.30"
39.37"	(23.62" + 15.75" joined)	50.24"
43.31"	(23.62" + 19.69" joined)	54.17"
47.24"	(23.62" + 23.62" joined)	58.11"
51.18"	(35.43" + 15.75" joined)	62.05"
55.12"	(35.43" + 19.69" joined)	65.98"
59.06"	(35.43" + 23.62" joined)	69.57"
62.99"	(35.43" + 27.56" joined)	73.86"

Custom lengths available by request.



# MONI XL

# STANDARD ROD LENGTH 35.43"

TOTAL HEIGHT INCLUDING SHADE AND FITTINGS

56.06"

Standard rod length and total height apply to the single, double and triple pendants.

### VARIABLE ROD LENGTHS AND CONFIGURATIONS

тн	TOTAL DROP
	36.38"
	40.31"
	44.25"
	48.19"
(15.75" + 15.75" joined)	52.13"
	56.06"
(23.62" + 15.75" joined)	60.00"
(23.62" + 19.69" joined)	63.94"
(23.62" + 23.62" joined)	67.87"
(35.43" + 15.75" joined)	71.81"
(35.43" + 19.69" joined)	75.74"
(35.43" + 23.62" joined)	79.69"
(35.43" + 27.56" joined)	83.62"
	(15.75" + 15.75" joined) (23.62" + 15.75" joined) (23.62" + 19.69" joined) (23.62" + 23.62" joined) (35.43" + 15.75" joined) (35.43" + 19.69" joined) (35.43" + 23.62" joined)

# MODULES AND CONFIGURATIONS







# SCANDAL

# STANDARD ROD LENGTH

43.31"

(23.62" + 19.69" joined)
TOTAL HEIGHT

INCLUDING SHADE AND FITTINGS 47.07"

Standard rod length and total height apply to the short and long pendants.

### VARIABLE ROD LENGTHS AND CONFIGURATIONS

ROD LENGTH		TOTAL DROP
15.75"		19.51"
19.69"		23.44"
23.62"		27.38"
27.56"		31.32"
31.5"	(15.75" + 15.75" joined)	35.26"
35.43"		39.19"
39.37"	(23.62" + 15.75" joined)	43.13"
43.31"	(23.62" + 19.69" joined)	47.07"
47.24"	(23.62" + 23.62" joined)	51.00"
51.18"	(35.43" + 15.75" joined)	54.94"
55.12"	(35.43" + 19.69" joined)	58.87"
59.06"	(35.43" + 23.62" joined)	62.81"
62.99"	(35.43" + 27.56" joined)	66.75"

Custom lengths available by request.

# TRILOGY HORIZONTAL

**STANDARD ROD LENGTH** 43.31" (23.62" + 19.69" joined)

TOTAL HEIGHT INCLUDING SHADE AND FITTINGS 48.66"

# VARIABLE ROD LENGTHS AND CONFIGURATIONS

ROD LENG	GTH	TOTAL DROP
15.75"		21.22"
19.69"		25.04"
23.62"		28.98"
27.56"		32.91"
31.5"	(15.75" + 15.75" joined)	36.85"
35.43"		40.79"
39.37"	(23.62" + 15.75" joined)	44.72"
43.31"	(23.62" + 19.69" joined)	48.66"
47.24"	(23.62" + 23.62" joined)	52.60"
51.18"	(35.43" + 15.75" joined)	56.54"
55.12"	(35.43" + 19.69" joined)	60.47"
59.06"	(35.43" + 23.62" joined)	64.41"
62.99"	(35.43" + 27.56" joined)	68.35"

# MODULES AND CONFIGURATIONS



# FIZI SINGLE BALL

# STANDARD ROD LENGTH 47.25"

(11.81" + 35.43" joined)

TOTAL HEIGHT INCLUDING SHADE AND FITTINGS 53.78"

### VARIABLE ROD LENGTHS AND CONFIGURATIONS

ROD LENGTH		TOTAL DROP
15.75"	(11.81" + 3.94" joined)	22.28"
19.69"	(11.81" + 7.87" joined)	26.22"
23.62"	(11.81" + 11.81" joined)	30.16"
27.56"		34.09"
31.50"	(11.81" + 19.69" joined)	38.03"
35.43"		41.97"
39.37"	(11.81" + 27.56" joined)	45.91"
43.31"	(11.81" + 31.50" joined)	49.84"
47.25"	(11.81" + 35.43" joined)	53.78"
51.18"	(11.81" + 39.37" joined)	57.72"

Custom lengths available by request.





47.24" (11.81" + 35.43" joined)

TOTAL HEIGHT INCLUDING SHADE AND FITTINGS 53.78"

### VARIABLE ROD LENGTHS AND CONFIGURATIONS

ROD LENG	GTH	TOTAL DROP
15.75"	(11.81" + 3.94" joined)	22.28"
19.69"	(11.81" + 7.87" joined)	26.22"
23.62"	(11.81" + 11.81" joined)	30.16"
27.56"		34.09"
31.50"	(11.81" + 19.69" joined)	38.03"
35.43"		41.97"
39.37"	(11.81" + 27.56" joined)	45.91"
43.31"	(11.81" + 31.50" joined)	49.84"
47.25"	(11.81" + 35.43" joined)	53.78"
51.18"	(11.81" + 39.37" joined)	57.72"



# MODULES AND CONFIGURATIONS



# FLOAT

STANDARD ROD LENGTH 27.56"

TOTAL HEIGHT INCLUDING SHADE AND FITTINGS 50.57"

# VARIABLE ROD LENGTHS AND CONFIGURATIONS

ROD LENG	3 T H	TOTAL DROP
15.75"	(11.81" + 3.94" joined)	22.60"
19.69"	(11.81" + 7.87" joined)	36.66"
23.62"	(11.81" + 11.81" joined)	46.54"
27.56"		50.47"
31.50"	(11.81" + 19.69" joined)	54.41"
35.43"		58.35"
39.37"	(11.81" + 27.56" joined)	62.28"
43.31"	(11.81" + 31.50" joined)	66.22"
47.24"	(11.81" + 35.43" joined)	70.16"
51.18"	(11.81" + 39.37" joined)	74.09"

Custom lengths available by request.



# OVOLO

STANDARD ROD LENGTH

31.50" (11.81" + 19.69" joined)

TOTAL HEIGHT INCLUDING SHADE AND FITTINGS 54.09"

Shade dimensions inclusive of overall height may vary marginally due to the nature of mouth blown glass.

### VARIABLE ROD LENGTHS AND CONFIGURATIONS

ROD LEN	IGTH	TOTAL DROP
15.75"	(11.81" + 3.94" joined)	38.35"
19.69"	(11.81" + 7.87" joined)	42.28"
23.62"	(11.81" + 11.81" joined)	46.22"
27.56"		50.16"
31.50"	(11.81" + 19.69" joined)	54.09"
35.43"		58.03"
39.37"	(11.81" + 27.56" joined)	61.97"
43.31"	(11.81" + 31.50" joined)	65.91"
47.24"	(11.81" + 35.43" joined)	69.84"
51.18"	(11.81" + 39.37" joined)	73.78"

# MODULES AND CONFIGURATIONS



### SLAB

STANDARD ROD LENGTH 35.43"

TOTAL HEIGHT INCLUDING SHADE AND FITTINGS 52.80"

Shade dimensions inclusive of overall height may vary marginally due to the nature of mouth blown glass.

## VARIABLE ROD LENGTHS AND CONFIGURATIONS

ROD LENGTH		TOTAL DROP
15.75"	(11.81" + 3.94" joined)	33.15"
19.69"	(11.81" + 7.87" joined)	37.09"
23.62"	(11.81" + 11.81" joined)	41.02"
27.56"		44.96"
31.50"	(11.81" + 19.69" joined)	48.90"
35.43"		52.80"
39.37"	(11.81" + 27.56" joined)	56.77"
43.31"	(11.81" + 31.50" joined)	60.71"
47.24"	(11.81" + 35.43" joined)	64.65"
51.18"	(11.81" + 39.37" joined)	68.58"

Custom lengths available by request.



# SLIM

STANDARD ROD LENGTH 35.43"

TOTAL HEIGHT INCLUDING SHADE AND FITTINGS 48.03"

### VARIABLE ROD LENGTHS AND CONFIGURATIONS

ROD LENGTH		TOTAL DROP
15.75"	(11.81" + 3.94" joined)	28.35"
19.69"	(11.81" + 7.87" joined)	32.28"
23.62"	(11.81" + 11.81" joined)	36.22"
27.56"		40.16"
31.50"	(11.81" + 19.69" joined)	44.09"
35.43"		48.03"
39.37"	(11.81" + 27.56" joined)	51.97"
43.31"	(11.81" + 31.50" joined)	55.91"
47.24"	(11.81" + 35.43" joined)	59.84"
51.18"	(11.81" + 39.37" joined)	63.78"

# MODULES AND CONFIGURATIONS



# TRILOGY

STANDARD ROD LENGTH ABOVE BALL CONFIGURATION

24.25"

TOTAL HEIGHT INCLUDING SHADES AND FITTINGS

47.25"

Rods below the ball configuration are fixed and not variable.
Customisation available by request.

# VARIABLE ROD LENGTHS AND CONFIGURATIONS

ROD LENGTH	TOTAL DROP
11.81" + 4.57" + 23" joined	39.38"
11.81" + 8.50" + 23" joined	43.31"
24.25" + 23" joined	47.25"
11.81" + 16.38" + 23" joined	51.19"
11.81" + 20.32" + 23" joined	55.13"
11.81" + 24.25" + 23" joined	59.06"
11.81" + 28.19" + 23" joined	63.00"